



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/516,785

06/27/2005

Aladar A. Szalay

17248-004US1 / 4804US

7336

20985

7590

07/25/2007

FISH & RICHARDSON, PC

P.O. BOX 1022

MINNEAPOLIS, MN 55440-1022

EXAMINER

SULLIVAN, DANIEL M

ART UNIT

PAPER NUMBER

1636

MAIL DATE

DELIVERY MODE

07/25/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/516,785

Applicant(s)

SZALAY ET AL.

Examiner

Daniel M. Sullivan

Art Unit

1636

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☐ Claim(s) ____ is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☒ Claim(s) 1-20 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|--|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date ____ | 6) <input type="checkbox"/> Other: ____ |

DETAILED ACTION

Claims 1-20 are pending.

Election/Restrictions

Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 1, 3-11 and 16, drawn to a method comprising administering a detectable microorganism or cell to a subject for whom the presence or absence of a wound, wounded tissue or disease associated therewith is to be detected and monitoring the subject for detection of the microorganism or cell.

Group II, claim(s) 2, 12-15, 17, 18 and 20, drawn to a method comprising administering a detectable microorganism or cell to a subject having a wound, wounded tissue or a disease associated therewith and monitoring the subject for detection of the microorganism or cell.

Group III, claim(s) 19, drawn to a method comprising administering a detectable microorganism or cell to a subject who has been treated with an antibiotic, sutures and/or implantable material is to be detected and monitoring the subject for detection of the microorganism or cell.

The inventions listed as Groups I-III do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

37 CFR 1.475(b) states:

“An international or a national stage application containing claims to different categories of invention will be considered to have unity of invention if the claims are drawn only to one of the following combinations of categories:

- (1) A product and a process specially adapted for the manufacture of said product; or
- (2) A product and process of use of said product; or
- (3) A product, a process specially adapted for the manufacture of the said product, and a use of the said product; or

Art Unit: 1636

- (4) A process and an apparatus or means specifically adapted for the manufacture of the said product; or
- (5) A product, a process specially adapted for the manufacture of the said product, and an apparatus or means specifically designed for carrying out the said process.”

Furthermore, according to PCT Rule 13.2, unity of invention exists only when there is a shared same or corresponding special technical feature among the claimed inventions. The “Instructions Concerning Unity of Invention” (MPEP, Administrative Instructions Under the PCT, Annex B, Part 1(b)) state, “The expression 'special technical features' is defined in Rule 13.2 as meaning those technical features that define a contribution which each of the inventions, considered as a whole, makes over the prior art.” Thus, unity of invention exists only when the shared same or corresponding technical feature is a contribution over the art.

In the instant case, the technical feature shared by the groups is the administration of a detectable microorganism or cell to a subject and monitoring the subject for detection of the microorganism or cell. However, Contag et al. US Patent No. 6,217,847 B1 teaches a method comprising administering a detectable microorganism to a subject and monitoring the subject for detection of the microorganism. (See especially Example 12.) Thus, the technical feature common to the Groups is not a contribution over the prior art and, therefore, the inventions lack a unifying special technical feature.

The special technical feature of Group I is the administration of a detectable microorganism or cell to a subject for whom the presence or absence of a wound wounded tissue or disease associated therewith is to be detected, which special technical feature is not required by the other Groups. The special technical feature of Group II is the administration of a detectable microorganism or cell to a subject having a wound, wounded tissue or a disease associated therewith, which special technical feature is not required by the other Groups. The special technical feature of Group III is the administration of a detectable microorganism or cell to a subject treated with an antibiotic, sutures and/or implantable material, which special technical feature is not required by the other Groups.

Accordingly, Groups I-IX are not so linked by the same or a corresponding special technical feature as to form a single general inventive concept. Therefore, restriction under 35 U.S.C. 121 and 372 is proper.

This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

Art Unit: 1636

Group I

- a) Elect a nucleic acid encoding a single species of detectable molecule selected from a luminescent or fluorescent protein, a protein capable of inducing a signal detectable by an MRI, capable of binding a contrast agent, capable of binding a chromophore or capable of binding a ligand.
- b) If a luminescent or fluorescent protein is elected, elect a single protein selected from luciferase, RFP or GFP.
- c) Elect a single microorganism or cell selected from a virus, bacterium or mammalian cell.
- d) If a bacterium is elected, elect a single bacterium selected from the group set forth in claim 9.
- e) If a mammalian cell is elected, elect a single cell selected from an autologous or heterologous stem cell.

Group II

- a) Elect a single disease selected from those set forth in claim 13-15.
- b) Elect a single nucleic acid selected from those set forth in claim 17.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Restriction for examination purposes as indicated is proper because all these inventions listed in this action are independent or distinct for the reasons given above and there would be a serious search and examination burden if restriction were not required because one or more of the following reasons apply:

Art Unit: 1636

- (a) the inventions have acquired a separate status in the art in view of their different classification;
- (b) the inventions have acquired a separate status in the art due to their recognized divergent subject matter;
- (c) the inventions require a different field of search (for example, searching different classes/subclasses or electronic resources, or employing different search queries);
- (d) the prior art applicable to one invention would not likely be applicable to another invention;
- (e) the inventions are likely to raise different non-prior art issues under 35 U.S.C. 101 and/or 35 U.S.C. 112, first paragraph.

Applicant is advised that the reply to this requirement to be complete must include

(i) an election of a invention to be examined even though the requirement may be traversed (37 CFR 1.143) **and (ii) identification of the claims encompassing the elected invention.**

The election of an invention may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse. Traversal must be presented at the time of election in order to be considered timely. Failure to timely traverse the requirement will result in the loss of right to petition under 37 CFR 1.144. If claims are added after the election, applicant must indicate which of these claims are readable on the elected invention.

If claims are added after the election, applicant must indicate which of these claims are readable upon the elected invention.

Art Unit: 1636

Should applicant traverse on the ground that the inventions are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel M. Sullivan whose telephone number is 571-272-0779. The examiner can normally be reached on Monday through Friday 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Woitach, Ph.D. can be reached on 571-272-0739. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1636

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Daniel M Sullivan/
Primary Examiner
Art Unit 1636